



BUILDING PRODUCTS OF CANADA CORP.

FOR OVER 100 YEARS

bpcan.com

ROOFING GUIDE

ARCHITECT & CLASSIC COLLECTIONS EAST



PROUDLY MADE IN CANADA

Product shown: Mystique 42 in 2 Tone Black





100 YEARS

...and still going strong!

PERFORMANCE, INTEGRITY, INNOVATION, QUALITY, SERVICE

As a leader in the building materials industry, Building Products of Canada (BP) has helped build and renovate homes across Canada for over 100 years. Like the pioneers who built our great country, BP's craftsmen and craftswomen honour the national tradition of neighbours helping neighbours each and every day.



■ OUR COMMITMENT: TOTAL QUALITY

Building Products of Canada Corp. is committed to providing quality, value added products and services to its clients.

■ OUR FUNDAMENTAL VALUE: SOCIAL RESPONSIBILITY

■ OUR FOCUS: NURTURING LONG TERM RELATIONSHIPS

THE ARCHITECT COLLECTION

LAMINATE SHINGLES

High-Performance Shingles with an Upscale Look

With its shake-like styling and extraordinary protection, the multi-layer laminate is a stunning architectural shingle. A smart choice for value and return on investment, plus a wide selection of beautiful colours to enhance your home's curb appeal. Our architectural fiberglass laminates include Manoir, Everest 42 and Mystique 42 with hurricane-resistant Weather-Tite™ technology and limited lifetime warranties.



Product shown: Everest 42 in Cobalt Black

TO ENSURE THE HIGHEST PERFORMANCE IN THE ROUGHEST WEATHER, BP'S

GET DOUBLE PROTECTION FOR YOUR ROOF



BREAKTHROUGH TECHNOLOGY PROTECTS WITH TWO SEALANT BANDS

In the roughest conditions, Weather-Tite™ technology ensures optimal performance. BP's Manoir, Everest 42, and Mystique 42 architectural shingles, as well as Yukon SB and Dakota 3-tab shingles, all feature this ground-breaking, patented, hurricane-resistant technology. Providing superior protection with the added-value of an enhanced wind warranty, Weather-Tite™ technology guarantees peace of mind with the ultimate in wind and water protection.

SUPERIOR WIND WARRANTIES

This groundbreaking technology provides such superior protection, we are able to offer even better wind warranties.

	WIND WARRANTIES	
	STANDARD	HIGH WIND
MANOIR	180 km/h » 110 mph	220 km/h » 135 mph
EVEREST 42	180 km/h » 110 mph	220 km/h » 135 mph
MYSTIQUE 42	180 km/h » 110 mph	220 km/h » 135 mph
YUKON SB	180 km/h » 110 mph	200 km/h » 125 mph
DAKOTA	180 km/h » 110 mph	200 km/h » 125 mph

THE CLASSIC COLLECTION

3-TAB SHINGLES

A Rich Selection of Colours

For a more traditional look, opt for square-cut, 3-tab shingles. A rich palette of available colours means that there's always a classic BP shingle just right for your budget that will improve your home's curb appeal for years to come. Protect your investment with 25- to 30-year warranties. To provide even more protection, Yukon SB and Dakota integrate hurricane-resistant Weather-Tite™ technology.



Product shown: Yukon SB in Autumn Brown

LAMINATE & 3-TAB SHINGLES ALL FEATURE WEATHER-TITE™ TECHNOLOGY.

SUPERIOR PROTECTION & BETTER RESISTANCE TO

- 1 WIND BLOW OFF 2 WIND-DRIVEN RAINWATER 3 WATER INFILTRATION 4 SURFACE UPLIFT



The two sealant bands adhere to the previous shingle row, providing double protection against the elements.



All BP's 3-Tab shingles feature Weather-Tite™ technology.

MANOIR

LIMITED LIFETIME WARRANTY

ELEGANT SLATE DESIGN
WITH DEEP SHADOW BANDS

*"Superior performance,
distinctive elegance"*

Manoir offers syncopated sizing and a sculpted slate allure. The exposed portion of this full-sized fiberglass laminate shingle offers more coverage than standard shingles.

Choose from seven warm, rustic colours to complement your home's distinctive character.

Use Yukon SB for Hip & Ridge



With



Product colour shown: Silver Grey



AUTUMN BROWN



SUNSET CEDAR



SILVER GREY



TWILIGHT GREY

Due to limitations of the printing process, actual shingle colours and granule blends could be different from the photos.



SPECIFICATIONS

DIMENSIONS (APPROX.)

1029 mm x 343 mm (40 1/2" x 13 1/2")

EXPOSURE

146 mm (5 3/4")

AVERAGE NUMBER OF SHINGLES PER BUNDLE

19

AVERAGE COVERAGE PER BUNDLE

3 m² (32.3 sq. ft.)

ROOF SLOPE (MIN.)

1:3 (4" in 12")

Using Low Slope Application: 1:4 (3" in 12")

SPEC. COMPLIANCE

CSA A123.5, CSA A123.51, CSA A123.52, ASTM D3462, ASTM D3018

ASTM D7158 – Class D

ASTM E108, ASTM D3161 – Class F

UL 790 Fire Resistance A

Pass TAS 100 as referenced in Miami-Dade County

Meets Class D as tested per UL2390

WARRANTY PERIOD (YRS)

Limited Lifetime

WIND PROTECTION*

Standard Application¹: 180 km/h (110 mph)

High Wind Application²: 220 km/h (135 mph)

1. Standard Wind Warranty applies when shingles are installed using standard application.

2. High Wind Warranty applies when shingles are installed using high wind application.

*Please refer to application instructions on bpcan.com for more information.



WEATHERED ROCK



BROWN STONE



SHADOW BLACK

**Use Yukon SB Shadow Black for Hip & Ridge.*

It is recommended that you view a full size shingle before making a final colour selection. We reserve the right to change colours at any time.

EVEREST 42

LIMITED LIFETIME WARRANTY

TAKE BEAUTY AND PROTECTION TO THE TOP

"Peak protection, exceptional beauty"

This premium quality, double-layer laminate shingle features larger tabs, dramatic 3-dimensional shadow bands, and drifted colouring to create a deep, bold and dynamic style.

Choose from a lavish selection of random contrast colours to frame your home with remarkable elegance, creating heightened curb appeal that's sure to turn heads.

Use Yukon SB for Hip & Ridge

With



Product colour shown: Jade Green



SILVER GREY



TWILIGHT GREY



WEATHERED ROCK



DRIFT WOOD



SUNSET CEDAR



MAGENTA RED

Due to limitations of the printing process, actual shingle colours and granule blends could be different from the photos.



SPECIFICATIONS

DIMENSIONS (APPROX.)
1067 mm x 356 mm (42" x 14")

EXPOSURE
152 mm (6")

AVERAGE NUMBER OF SHINGLES PER BUNDLE
19

AVERAGE COVERAGE PER BUNDLE
3.06 m² (32.9 sq. ft.)

ROOF SLOPE (MIN.)
1:3 (4" in 12")
Using Low Slope Application: 1:4 (3" in 12")

SPEC. COMPLIANCE
CSA A123.5, CSA A123.51, ACSA A123.52
ASTM D3462, ASTM D3018, ASTM D7158 – Class H,
ASTM E108, ASTM D3161 – Class F
UL 790 Fire Resistance A
Pass TAS 100 as referenced in Miami-Dade County
Meets Class H as tested per UL2390

WARRANTY PERIOD (YRS)
Limited Lifetime

WIND PROTECTION*
Standard Application¹: 180 km/h (110 mph)
High Wind Application²: 220 km/h (135 mph)

1. Standard Wind Warranty applies when shingles are installed using standard application.
 2. High Wind Warranty applies when shingles are installed using high wind application.
- * Please refer to application instructions on bpcan.com for more information.*



BROWN STONE



COBALT BLACK




FOSSIL WOOD



AUTUMN BROWN



SEYCHELLES BLUE



JADE GREEN

It is recommended that you view a full size shingle before making a final colour selection. We reserve the right to change colours at any time.

MYSTIQUE 42

LIMITED LIFETIME WARRANTY

**DISTINGUISH YOUR HOME'S
GRACE AND CHARACTER**

*"Graceful character,
powerful protection"*

Protect your investment and improve your home's resale value with this affordable, double-layer laminate shingle.

Mystique 42 shingles, uniquely designed with oversized tabs, feature dramatic 3-dimensional shadow bands to create a sharp, slate look, both eye-catching and strikingly elegant.

Choose from a superb palette of vintage colours designed to instantly enhance your home's curb appeal.

▼
Use Dakota for Hip & Ridge

With



Product colour shown: Classic Brown



PEARL GREY



SLATE GREY



TAUPE



2-TONE BROWN



RUSTIC CEDAR



REDWOOD

Due to limitations of the printing process, actual shingle colours and granule blends could be different from the photos.



SPECIFICATIONS

DIMENSIONS (APPROX.)
1067 mm x 356 mm (42" x 14")

EXPOSURE
152 mm (6")

AVERAGE NUMBER OF SHINGLES PER BUNDLE
19

AVERAGE COVERAGE PER BUNDLE
3.06 m² (32.9 sq. ft.)

ROOF SLOPE (MIN.)
1:3 (4" in 12")
Using Low Slope Application: 1:4 (3" in 12")

SPEC. COMPLIANCE
CSA A123.5, CSA A123.51, CSA A123.52
ASTM D3462, ASTM D3018, ASTM D7158 – CLASS H,
ASTM E108, ASTM D3161 – CLASS F
UL 790 Fire Resistance A
Pass TAS 100 as referenced in Miami-Dade County
Meets Class H as tested per UL2390

WARRANTY PERIOD (YRS)
Limited Lifetime

WIND PROTECTION*
Standard Application¹: 180 km/h (110 mph)
High Wind Application²: 220 km/h (135 mph)

1. Standard Wind Warranty applies when shingles are installed using standard application.
 2. High Wind Warranty applies when shingles are installed using high wind application.
- * Please refer to application instructions on bpcan.com for more information.*



ANTIQUE SLATE



BARKWOOD



CLASSIC BROWN



2-TONE BLACK



MIDNIGHT BLUE



FOREST GREEN

It is recommended that you view a full size shingle before making a final colour selection. We reserve the right to change colours at any time.

YUKON SB

30-YEAR WARRANTY

THE GREAT OUTDOORS
IS NO MATCH FOR THE
RUGGED YUKON SB

"Handsome style, durable character"

This heavyweight fiberglass, 3-tab shingle, produced with hurricane resistant Weather-Tite™ technology, is strong and durable for extraordinary protection in the toughest weather conditions.

The innovative shadow band creates an eye-catching, chiseled style that complements your choice of any one of the wide selection of colours.

▼
*This shingle is used as Hip & Ridge with
Everest 42 & Manoir*

With



Product colour shown: Weathered Rock



SILVER GREY



TWILIGHT GREY



WEATHERED ROCK



DRIFT WOOD



SUNSET CEDAR



MAGENTA RED

Due to limitations of the printing process, actual shingle colours and granule blends could be different from the photos.



SPECIFICATIONS

DIMENSIONS (APPROX.)
1000 mm x 336 mm (39 3/8" x 13 1/4")

EXPOSURE
143 mm (5 5/8")

AVERAGE NUMBER OF SHINGLES PER BUNDLE
21

COVERAGE / BUNDLE
3 m² (32.3 sq. ft.)
or 9 linear m (29.6 linear ft.) if used as Hip & Ridge

ROOF SLOPE (MIN.)
1:3 (4" in 12")
Using Low Slope Application: 1:4 (3" in 12")

SPEC. COMPLIANCE
CSA A123.5, CSA A123.51, CSA A123.52
ASTM D3462, ASTM D3018, ASTM D7158 – Class D
ASTM D3161 – Class F
UL 790 Fire Resistance A
Pass TAS 100 as referenced in Miami-Dade County
Meets Class D as tested per UL2390

WARRANTY PERIOD (YRS)
30 years

WIND PROTECTION*
Standard Application¹: 180 km/h (110 mph)
High Wind Application²: 220 km/h (135 mph)

1. Standard Wind Warranty applies when shingles are installed using standard application.
 2. High Wind Warranty applies when shingles are installed using high wind application.
- * Please refer to application instructions on bpcan.com for more information.*



BROWN STONE



COBALT BLACK



FOSSIL WOOD



AUTUMN BROWN



SEYCHELLES BLUE



JADE GREEN

It is recommended that you view a full size shingle before making a final colour selection. We reserve the right to change colours at any time.

DAKOTA

25-YEAR WARRANTY

**THIS DISTINCTIVE 3-TAB
DAKOTA FULLY PROTECTS
YOUR HOME**

*"Timeless beauty,
long-term performance"*

This classic shingle's high performance rating ensures years of reliability and peace of mind.

Dakota offers a vast selection of elegant colours; each features a subtle tonal drift, creating a dynamic look that matches a range of home styles. You can also be sure that Dakota will enhance your home's curb appeal and natural beauty for many years to come.

▼
This shingle is used as Hip & Ridge with Mystique



Product colour shown: 2 Tone Brown




ANTIQUÉ SLATE



BARKWOOD



CLASSIC BROWN



FOREST GREEN



RUSTIC CEDAR



SLATE GREY



STONE GREY



SUNSET BLEND

Due to limitations of the printing process, actual shingle colours and granule blends could be different from the photos.



SPECIFICATIONS

DIMENSIONS (APPROX.)
 1000 mm x 336 mm (39 3/8" x 13 1/4")

EXPOSURE
 143 mm (5 5/8")

AVERAGE NUMBER OF SHINGLES PER BUNDLE
 21

COVERAGE / BUNDLE
 3 m² (32.3 sq. ft.) or 9 linear m (29.6 linear ft.)
 if used as Hip & Ridge

ROOF SLOPE (MIN.)
 1:3 (4" in 12")
 Using Low Slope Application: 1:6 (2" in 12")

SPEC. COMPLIANCE
 CSA A123.5, CSA A123.51, CSA A123.52, ASTM D3462, ASTM D3018
 ASTM D7158 – Class D
 ASTM D3161 – Class F
 UL 790 Fire Resistance A
 Pass TAS 100 as referenced in Miami-Dade County
 Meets Class D as tested per UL2390

WARRANTY PERIOD (YRS)
 25 years

WIND PROTECTION*
 Standard Application¹: 180 km/h (110 mph)
 High Wind Application²: 200 km/h (125 mph)

1. Standard Wind Warranty applies when shingles are installed using standard application.
 2. High Wind Warranty applies when shingles are installed using high wind application.
- * Please refer to application instructions on bpcan.com for more information.*



MIDNIGHT BLUE



OAKWOOD



PEARL GREY



REDWOOD



TAUPE



2 TONE BLACK




2 TONE BROWN

It is recommended that you view a full size shingle before making a final colour selection. We reserve the right to change colours at any time.



The Weather-Tite™ Roofing System is engineered to maximize protection in rough weather. To ensure optimum effectiveness, a roof must be installed according to BP's application instructions and respect the 5 KEY STEPS OF THE WEATHER-TITE ROOFING SYSTEM:


BP'S COMPLETE WEATHER-TITE™ ROOFING SYSTEM



1

BP EAVE PROTECTORS

Considerable damage to the eaves can be caused by ice that builds up during the winter freeze/thaw cycles. **WeatherTex**® or **Grippard** waterproofing membrane will provide the protection you need.




WEATHERTEX



2

BP UNDERLAYMENTS


High-performance **Suredeck**, **BP lined asphalt felts**, or **BP Deckgard** provide top notch secondary protection from water driven under the shingles by high winds.



3

BP STARTER STRIP SHINGLES

Cost-effective **BP Starter Strip** shingles or **cut-off classic 3-tab shingles** reduce installation time and waste by eliminating shingle scraps, and also provide excellent protection against wind and water infiltration.



4

BP SHINGLES


BP shingles ensure maximum protection and feature our **Weather-Tite™** technology with two bands of high-tack adhesive. Our **classic 3-tab shingles** deliver proven performance, long-term durability, and a wide selection of colours. Our **premium architectural shingles** come in a rich palette of designer colours.



5

BP HIP & RIDGE

Cut-off classic 3-tab shingles cap your roof with peak protection while adding an attractive finished look.



Install BP products, manufactured for quality and compatibility, to get the best return on your investment as well as long-lasting peace of mind.

Weather-Tite™
ROOFING SYSTEM
WARRANTY

Exclusive to BP!

BP WEATHER-TITE™
ROOFING SYSTEM
WARRANTY

RESIDENTIAL ROOFING BUILDING¹
LAMINATED SHINGLES (Manoir, Everest 42, Mystique 42) & 3-TAB SHINGLES (Yukon SB, Dakota)



	CLASSIC 3-TAB SHINGLES		LAMINATED SHINGLES	
	STANDARD LIMITED WARRANTY	WEATHER-TITE™ ROOFING SYSTEM LIMITED WARRANTY	STANDARD LIMITED WARRANTY	WEATHER-TITE™ ROOFING SYSTEM LIMITED WARRANTY
WARRANTY TERM	25* - 30** YEARS		LIMITED LIFETIME	
TOTAL PROTECTION PERIOD	UNAVAILABLE	YEAR 1 Replacement of all components of the defective area of the roof without exclusions	UNAVAILABLE	YEARS 1 AND 2 Replacement of all components of the defective area of the roof without exclusions
UP-FRONT PROTECTION PERIOD	YEARS 1 TO 5 Defective shingles and labour to install shingles only	YEARS 2 TO 10 Replacement of all components of the defective area of the roof excluding disposal	YEARS 1 TO 15 Defective shingles and labour to install shingles only	YEARS 3 TO 20 Replacement of all components of the defective area of the roof excluding disposal.
LIFETIME WARRANTY PROTECTION PERIOD	UNAVAILABLE	AFTER YEAR 10 Prorated coverage of defective shingles only	AFTER YEAR 15 Prorated coverage of defective shingles only	AFTER YEAR 20 Prorated coverage of defective shingles only
TRANSFERABILITY	1 TIME 100% - transfer within FIRST 5 YEARS Written Notification within 30 days Transfer Cost: \$100 CAD	1 TIME 100% - transfer within FIRST 10 YEARS Written Notification WITHIN 60 DAYS Transfer Cost: FREE	1 TIME 100% - transfer within FIRST 10 YEARS Written Notification within 30 days Transfer Cost: \$100 CAD	1 TIME 100% - transfer within FIRST 20 YEARS Written Notification WITHIN 60 DAYS Transfer Cost: FREE
WIND WARRANTY	REGULAR INSTALLATION 180 KM/H – 110 MPH HIGH WIND INSTALLATION 200KM/H – 125MPH		REGULAR INSTALLATION 180 KM/H – 110 MPH HIGH WIND INSTALLATION 220KM/H – 135MPH	
ALGAE WARRANTY	5 YEARS		10 YEARS	

Eligible Buildings: Single-family home (or row house with a physically delimited roof) provided the individual is the sole owner of the home that serves as the owner's residence.

DISCLAIMERS:

¹ For **NON RESIDENTIAL ROOFING** building, please refer to our website at bpcan.com. • * Applies to Dakota 3 tab shingle. • ** Applies to Yukon laminate shingle.

Please visit bpcan.com to review all legal documents and requirements for the **Standard Warranty (Standard Limited Warranty)** and **Weather-Tite™ Roofing System Limited Warranty**.

BUILT-IN QUALITY

COMES WITH EVERY BP SHINGLE ENSURING SOLID PERFORMANCE

BP superior quality assurance tests ensure the highest quality products.

BP is committed to supplying contractors and property owners with highly reliable products and roofing systems. At every step of the process, from raw materials to the finished product, stringent quality assurance tests are performed to ensure that our products are of the highest quality, inside and out.

1 FIBERGLASS MAT

The best inorganic fiberglass mat, dimensionally stable, strong and non-reactive to moisture

2 COATING ASPHALT


Liquid asphalt is oxidized to our exact specifications in our own state-of-the-art facilities.

3 MINERAL GRANULES

Once the fiberglass mat is coated with the oxidized asphalt, we apply a layer of mineral with granules precisely embedded to maximize retention, thus limiting long-term asphalt deterioration from exposure to UV light.

4 SELF-ADHESIVE STRIPS AND WEATHER-TITE™ TECHNOLOGY

The processed mat is cut and the shingles are assembled with high-performance, elastomer-modified asphalt adhesive. The assembly process is evaluated continuously to ensure precision. In this phase, ultra-performing self-adhesive strips—including Weather-Tite™ technology—are added to the shingles.



WE UNDERSTAND WHAT IS EXPECTED FROM PRODUCTS THAT PROVIDE "FIRST LINE OF DEFENSE" PROTECTION AGAINST NATURE'S ELEMENTS.

By systematically testing the materials and processes according to the HIGHEST ROOFING STANDARDS, we produce consistent, quality products for the construction of solid roofing systems that better stand the test of time.

MADE IN CANADA

FOR OUR CLIMATE FOR MORE THAN 100 YEARS

Made in Canada, by Canadians, for Canadian weather.

As a leader in the building materials industry, Building Products of Canada (BP) has helped construct and renovate homes across Canada for over 100 years. BP has built on a foundation of integrity, trust, and shared goals that has nurtured relationships and partnerships, often for decades.

LOWER ENVIRONMENTAL IMPACT

Dedicated to reducing its environmental footprint, BP sources its materials locally, minimizing transportation-related green house gas emissions.

QUALITY LOCAL MATERIALS

Committed to consumers, BP shingles are produced with locally-sourced, high-grade materials locally in Quebec and Alberta and distributed across Canada.

WARRANTIES DESIGNED SPECIFICALLY FOR OUR CUSTOMERS

Since our products are made here, close to home, honouring our warranties is easier. Unlike our competitors, BP has a Canadian-based, in-house warranty department. We are focused on serving and supporting you, from one Canadian to another.

LOCAL WORKFORCE

Whether you are a homeowner, professional builder, or architect, when you choose BP you are supporting our homegrown workforce that produces materials specifically for our Canadian climate. BP offers you more than a guarantee of long-term quality and reliable protection—we promise you uncompromising peace of mind.

ALBERTA
Roofing Plant

QUEBEC
Roofing Plant





BUILDING PRODUCTS OF CANADA CORP.

FOR OVER 100 YEARS



PROUDLY MADE IN CANADA

By Choice!

9510 St. Patrick St., LaSalle, Quebec, Canada H8R 1R9
3703 – 101 Avenue N.E., P.O. Box 576, Edmonton, Alberta, Canada T5J 2K8

BPCAN.COM



Due to limitations of the printing process, actual shingle colours and granule blends could be different from the photos. It is recommended that you view a full size shingle before making a final colour selection. We reserve the right to change colours at any time.

PRINTED IN CANADA / GBL-EAST